

Pak Petrochemical Industries (Pvt) Ltd.

TO WHOM IT MAY CONCERN

February 19, 2026

Dear Customer,

HALAL DECLARATION

WE HEREBY DECLARE THAT THE HIGH-IMPACT POLYSTYRENE SUPPLIED BY PAK PETROCHEMICAL INDUSTRIES (PVT.) LTD TO PAVILION PACKAGING (PVT) LTD. IS HALAL AND FIT FOR USE FOR FOOD CONTACT. PRODUCT DETAILS ARE MENTIONED BELOW.

GRADE	HIPS-850
BATCH NO	7112602-1
INVOICE DATE	16/01/2026
INVOICE NO	2601-20425

Certificate Number: CR/IHC/PPCI/11/25/HC

Certificate Issue Date: 17-November-2025

Expiry Date: 16-November-2026

Manager Q.C

Polymer House, Survey No. 136, Main National Highway, Karachi-75030 Pakistan.

☎ : (92-21) 35019701-4 Fax: : (92-21) 35018552-3

E-mail: Info@polystyrene.com.pk Web: www.polystyrene.com.pk

*Committed to Supply
Quality Product*



Pak Petrochemical Industries (Pvt) Ltd.

TO WHOME IT MAY CONCERN

We certify that M/S PAVILION PACKAGING (PRIVATE) LTD. is regular user of General-Purpose Polystyrene (GPPS) resin & High-Impact Polystyrene (HIPS) resin of Pak Petrochemical Industries (Pvt.) Ltd.

The material supplied to M/S PAVILION PACKAGING (PRIVATE) LIMITED. is certified as a Food Grade Material produced by Pak Petrochemical Industries (Pvt.) Ltd & meet the FDA requirements as per EU Regulation 10/2011, as amended up to the present date and including EU Regulations 2025/351.


Hence, our products are considered as **FOOD GRADE CERTIFIED** and suitable for all food related Products.

Manager QC

Dated: 13-02-2026

Polymer House, Survey No. 136, Main National Highway, Karachi-75030 Pakistan.
☎ : (92-21) 35019701-4 Fax : (92-21) 35018552-3
E-mail: Info@polystyrene.com.pk Web: www.polystyrene.com.pk

Committed to Supply
Quality Product



Pak Petrochemical Industries (Pvt) Ltd.

CERTIFICATE OF ANALYSIS

DESCRIPTION : High Impact Polystyrene
GRADE : HI-850
LOT NO. : 7112602-1

TYPICAL PROPERTIES	ASTM	UNIT	SPECIFIES	TEST RESULT
Tensile Strength	D 638	Kg / cm ²	200	212
Tensile Elongation		%	45	42
Flexural Strength	D 790	Kg / cm ²	400	405
Izod Impact Strength	D-256	Kg-cm / cm	12	10.21
Gardner Falling Dart	D-5420	In-lbs	104	113
Vicat Softening Temp.	D-1525	°C	95	94
Heat Deflection Temperature	D-648	°C	90	91
Specific Gravity	D-792	23/23 °C	1.04	1.04
Melt Flow Index	D-1238	G/10 min	6.0	6.0

Note: The data intended as a general guide only and does not necessarily represent results that may be obtained elsewhere.

Manager Q.C

Polymer House, Survey No. 136, Main National Highway, Karachi-75030 Pakistan.
☎ : (92-21) 35019701-4 Fax: (92-21) 35018552-3
E-mail: Info@polystyrene.com.pk Web: www.polystyrene.com.pk

*Committed to Supply
Quality Product*



CERTIFICATE OF CONFORMITY

This is to certify that the products listed below have met the Halal requirements in accordance with Islam.

Product groups and products are detailed in the Appendix composed of 1 page

Manufacturer of General Purpose Polystyrene, High Impact Polystyrene and Expandable Polystyrene

Manufactured by:

PAK PETROCHEMICAL INDUSTRIES (PVT) LTD.

Address:

Polymer House, Survey # 136, Main National Highway, Karachi – Pakistan

Complies with the requirements of OIC SMIIC 1:2011

“General Guidelines on Halal Food”

Berat Eresin
Halal Scheme Manager

Certificate No : RCHL 18-011

Issue Date : 20.08.2020

Expire Date : 19.08.2021



The manufacturer's technical documentation and the product has been reviewed and found to comply with the relevant standards. This certificate of conformity is based on the evaluation of the mentioned products given above. Manufacturer, Applicant is responsible for maintaining the responsibilities of the relevant standards. Any significant changes on design or construction of the product or amendments to the relevant directives or standards referred above render this certificate invalid.

APPENDIX

This Appendix is a supplement to the certificate No RC HL 18-011.

Name: PAK PETROCHEMICAL INDUSTRIES (PVT) LTD.

Address: Polymer House, Survey # 136, Main National Highway, Karachi – Pakistan

Scope: Manufacturer of General Purpose Polystyrene, High Impact Polystyrene and Expandable Polystyrene

Product name	Brand	Packing Sizes
General purpose Polystyrene	Diamond	25 kg/800kg
High Impact Polystyrene	Diamond	25 kg/800kg
Expandable Polystyrene	Diamond	25 kg/700kg



Berat Eresin
Halal Scheme Manager

